

Avicenna aspect of premature ovarian failure

Dear Editor,

Estrogen deficiency in women is an important risk factor for serious disorders such as severe cardiovascular diseases (1). Several different conditions can lead to estrogen deficiency with premature ovarian failure (POF) being an important one (2, 3). POF includes the cessation of normal ovarian function before age 40, causing menopausal symptoms and general health problems. Although there are several known causes of ovarian failure i.e chromosomal defects, autoimmune disease, exposure to radiation and certain drugs; but most cases of POF are of unknown etiology. Consequently, further work is required to understand the etiology, possible prevention and treatment of POF (4).

The most influential Iranian physician between 9th and 14th centuries AD was Ibn-Sina or Avicenna (980-1037 A.D). He was a great physician and has written more than 335 books on various subjects. His chief medical book is "Al-Qanon fi Al-Tibb" or "The Canon of Medicine" (5).

According to "The Canon of Medicine", the basis of health is the right proportion and specific equilibrium of humors (Akhlat) according to their quality and quantity (6). Based on Iranian traditional medicine, there are four humors in the body: "Phlegm, Blood, Yellow bile and Black bile" (7). Each of them is related with a pair of qualities, including cold and wet, hot and wet, hot and dry, and cold and dry, respectively (6).

In Iranian traditional medicine, premature ovarian failure is not defined the same as known today, but in many cases, it has been described as a disorder (8). Due to lack of biochemical analysis of blood parameters, almost all disease states have been defined based on clinical symptoms (9). The most obvious manifestation of POF is amenorrhea (10). The twenty-first chapter of third book of Al-Qanon fi Al-Tibb deals, principally with various kinds of uterine diseases. In this section, amenorrhea is described under a different title: "Ehtebase Tams" which means lack of menstruation. Avicenna has stated that one of the major causes of "Ehtebase tams" is abnormal black bile predominance (8). Based on The Canon of Medicine other symptoms that are seen in the "Ehtebase tams" of abnormal black bile predominance are as follows: vaginal dryness, dry eye, dry skin, anxiety, depression, somatization, sensitivity, hostility, forgetfulness, tiredness, headache, appetite disturbance, sleep disorder and depression and less satisfaction with sexual life (8). New studies have proven all of these symptoms (10). Black bile is divided into two categories: normal and abnormal. In contrast to normal black bile, abnormal black bile has affinity to deposit in any tissue and organ. As a consequence, in cases of abnormal black bile predominance, a high level of its deposition in the ovaries can lead to their dysfunction similar to its effect on other organs and tissues (arteries) (5, 7).

According to this letter, it seems that the treatment of "black bile predominance" can be used as one of the first steps in treating POF patients. This finding can be used as an important theory to design the prevention and treatment plan of POF based on Iranian traditional medicine text books. Most obviously further clinical study is recommended to investigate this issue.

Mojgan Tansaz¹ M.D., Roshanak Mokaberinejad² M.D., Soodabeh Bioos¹ M.P.H., Farnaz Sohrabvand³ MD, Majid Emtiazy⁴ M.D., Ph.D.

1. Faculty of Iranian Traditional Medicine, Traditional Medicine School, Tehran University of Medical Sciences, Tehran, Iran.

2. Department of Iranian Traditional Medicine, faculty of Medical Sciences, Shahed University, Tehran, Iran.

3. Vali-e-Asr Reproductive Health Research Center, Imam Khomeini Hospital Complex, Tehran University of Medical Sciences, Tehran, Iran.

4. Faculty of Iranian Traditional Medicine, Traditional Medicine School, Shahid Sadoughi University of Medical Sciences, Ardakan, Yazd, Iran.

Corresponding Author:

Majid Emtiazy, Faculty of Iranian Traditional Medicine, The School of Traditional Medicine, Imam Khomeini Ave., postal code: 8951737915, Ardakan, Yazd, Iran.

Email: emtiazy@razi.tums.ac.ir

Tel/Fax: (+98) 3516223349

Received: 11 April 2012

Accepted: 31 July 2012

References

1. Reslan OM, Khalil RA. Vascular Effects of Estrogenic Menopausal Hormone Therapy. *Rev Recent Clin Trials* 2012; 7: 47-70.
2. Craig ZR, Wang W, Flaws JA. Endocrine disrupting chemicals in ovarian function: effects on steroidogenesis, metabolism and nuclear receptor signaling. *Reproduction* 2011; 142: 633-646.
3. Yahata T, Kurabayashi T, Kato R, Yamamoto Y, Fujimaki T, Yasuda M, et al. [Effect of hormone replacement therapy on lipid metabolism in patients with premature ovarian failure and Turner's syndrome]. *Nihon Sanka Fujinka Gakkai Zasshi* 1994; 46: 1197-1204.

4. Vujovic S. Aetiology of premature ovarian failure. *Menopause Int* 2009; 15: 72-75.
5. Emtiazy M, Choopani R, Khodadoost M, Tansaz M, Nazem E. Atheroprotector role of the Spleen based on the teaching of Avicenna (Ibn Sina). *Int J Cardiol* 2012 [Epub ahead of print].
6. Emtiazy M, Keshavarz M, Khodadoost M, Kamalinejad M, Gooshahgir Aa-d, Shahradsaj H, et al. Relation between body humors and hypercholesterolemia: An Iranian traditional medicine perspective based on the teaching of Avicenna. *Iran Red Crescent Med J* 2012; 14: 133-138.
7. Choopani R, Mosaddegh M, Gir AAdG, Emtiazy M. Avicenna (Ibn Sina) aspect of atherosclerosis. *Int J Cardiol* 2012; 156: 330.
8. Ibn Sina AAH. Medicine. In: al-Din IS, editor. *Al-Qanon fi al-Tibb*. Lebanon: Alamy Le- Al-Matbooaat institute; 2005: 404-467.
9. Aqili Khorasani SMH. Medicine. In: *Medicine IflaC*, editor. *Kholasat-Alhekmah*. Tehran: Tehran university of Medical Science; 2008: 510-550.
10. Shelling AN. Premature ovarian failure. *Reproduction* 2010; 140: 633-641.